



UTENSILI BETA IN TERMOFORMATO MORBIDO 5988VU/M ASSORTIMENTO DI 214 UTENSILI
BETA TOOLS IN SOFT THERMOFORMED TRAY 5988VU/M WITH 214 TOOLS













CODICE CODE	B059880356
TERMOFORMATO THERMOFORMED	Morbido Soft













COMPONENTI
COMPONENTS











ARTICOLO ITEM	CODICE BETA BETA CODE	DESCRIZIONE DESCRIPTION	PEZZI PIECES
	42NEW	Chiavi combinate Combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17 18-19-20-21-22-24-27-30-32-36 mm	22
	55	Chiavi a forchetta Double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm	11
	90	Chiavi poligonali curve Double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm	11
	96BPC/SC9	Chiavi maschio esagonale piegate con estremità sferica 1,5÷10 mm Ball head offset hexagon key wrenches 1,5÷10 mm	9
	895/1 895/3 895/6	Bussola portainseriti Socket holder	1 1 1

ARTICOLO ITEM	CODICE BETA BETA CODE	DESCRIZIONE DESCRIPTION	PEZZI PIECES
	900	Chiavi a bussola esagonali 1/4" <i>1/4" hexagon sockets</i> 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	13
	900L	Chiavi a bussola a mano lunghe bocca esagonale <i>Hexagon hand sockets, long series</i> 5-6-7-8-9-10-11-12-13 mm	9
	900ME	Chiavi a bussola maschio esagonale 1/4" <i>1/4" socket drivers for hexagon screws</i> 3-4-5-6-7 mm	5
	900LP	Chiavi a bussola a giravite per viti con intaglio <i>Socket drivers for slotted head screws</i> 0,8x4-1x5,5-1,2x6,5-1,2x8 mm	4
	900PH	Chiavi a bussola a giravite per viti con impronta a croce Phillips® <i>Socket drivers for cross head Phillips® screws</i> PH1-PH2-PH3-PH4	4
	900TX	Chiavi a bussola a giravite maschio per viti con impronta Torx® <i>Socket drivers for Torx® head screws</i> T10-T15-T20-T25-T27-T30-T40	7
	900/20	Prolunga - 1/4" 50 mm <i>1/4" drive extension bar 50 mm</i>	1
	900/20L	Prolunga - 1/4" 100 mm <i>1/4" drive extension bar 100 mm</i>	1
	900/21	Prolunga - 1/4" 150 mm <i>1/4" drive extension bar 150 mm</i>	1
	900/25	Snodo 1/4" <i>1/4" drive universal joint</i>	1

ARTICOLO ITEM	CODICE BETA BETA CODE	DESCRIZIONE DESCRIPTION	PEZZI PIECES
	900BG/30	Quadro con impugnatura 1/4" 1/4" drive spinner handle	1
	900/42	Quadro scorrevole 1/4" 1/4" drive swivel T-handle	1
	900/55	Cricchetto reversibile 1/4" 1/4" reversible ratchet	1
	920A	Chiavi a bussola esagonali 1/2" 1/2" square drive hexagon sockets 8-10-11-12-13-14-15-16-17-18-19 20-21-22-23-24-26-27-28-30-32 mm	21
	920/15	Raccordo con attacco quadro 125 mm adaptor, 1/2" female and 3/8" male drives 125 mm	1
	920/25	Snodo 1/2" 250 mm 1/2" drive universal joint 250 mm	1
	920AN/125	Prolunga angolare - 1/2" 125 mm 1/2" wobble extension bar 125 mm	1
	920AN/250	Prolunga angolare - 1/2" 250 mm 1/2" wobble extension bar 250 mm	1
	920/42	Quadro maschio 1/2" con spina scorrevole 305 mm 1/2" drive sliding T-handle 305 mm	1
	920/55	Cricchetto reversibile 1/2" 1/2" drive reversible ratchet	1

ARTICOLO ITEM	CODICE BETA BETA CODE	DESCRIZIONE DESCRIPTION	PEZZI PIECES
	920FTX	Chiavi a bussola 1/2" per viti con teste a profilo Torx® <i>1/2" sockets for Torx® head screws</i> 10-12-14-16-18-20-22-24 mm	8
	920AL	Chiavi a bussola a mano lunghe bocca esagonale <i>Hexagon hand sockets</i> 10-12-13-14-15-16-17-18-19-21-22 mm	11
	1032	Pinze becchi diritti per anelli elastici, per fori 180 mm <i>Circlip pliers straight, internal 180 mm</i>	1
	1034	Pinze becchi piegati per anelli elastici, per fori 170 mm <i>Circlip pliers bent, internal 170 mm</i>	1
	1036	Pinze becchi diritti per anelli elastici, per alberi 175 mm <i>Circlip pliers straight, external 175 mm</i>	1
	1038	Pinze becchi piegati per anelli elastici, per alberi 175 mm <i>Circlip pliers bent, external 175 mm</i>	1
	1048	Pinze regolabili cerniera chiusa 250 mm <i>Slip joint pliers boxed joints 250 mm</i>	1
	1052	Pinza autobloccante 240 mm <i>Self - locking pliers 240 mm</i>	1
	1082BM	Tronchesi a taglienti diagonali 160 mm <i>Diagonal cutting nippers 160 mm</i>	1
	1098	Tenaglie per cementisti 220 mm <i>Construction worker's pincers 220 mm</i>	1

ARTICOLO ITEM	CODICE BETA BETA CODE	DESCRIZIONE DESCRIPTION	PEZZI PIECES
	1112	Cesoia a lame larghe diritte 250 mm <i>Tin snips 250 mm</i>	1
	1128BM	Forbici per elettricisti lame dritte <i>Electrician's scissors, straight blades</i>	1
	1150BM	Pinza universale 180 mm <i>Half-round needle nose pliers 180 mm</i>	1
	1166BM	Pinza a becchi mezzotondi diritti 160 mm <i>Extra-long needle nose pliers 160 mm</i>	1
	1168BM	Pinza a becchi mezzotondi piegati 160 mm <i>Extra-long bent needle nose pliers 160 mm</i>	1
	1201E	Giravite lama piatta <i>Screwdriver for slotted head screws</i> 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm	6
	1201EN	Giravite per viti a testa con intaglio <i>Screwdriver for slotted head screws, extra-short series</i> 4x30 mm	1
	1202E	Giravite Phillips® <i>Screwdriver for cross head Phillips® screws</i> PH0,60-PH1X80-PH2X100-PH3X150 mm	4
	1202EN	Giravite Phillips® <i>Screwdriver for cross head Phillips® screws, extra-short series</i> PH1X30 MM	1
	1207E/TX	Chiavi maschio con impugnatura per viti con impronta Torx® <i>Screwdrivers for Torx® head screws, with handles</i> T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45	12

ARTICOLO ITEM	CODICE BETA BETA CODE	DESCRIZIONE DESCRIPTION	PEZZI PIECES
	1253	Giravite cercafase <i>Mains testing screwdriver</i>	1
	30	Punzoni 2-3-4 mm <i>Drift punches 2-3-4 mm</i>	3
	31	Cacciaspina <i>Pin punches</i> 2-3-4-5-6-8	6
	32	Bulino ø 4 mm <i>Centre punch Ø 4 mm</i>	1
	34	Scalpelli piatti 150 mm <i>Flat chisels 150 mm</i>	1
	35	Scalpelli piatti nervati 200-250 mm <i>Flat chisels, ribbed type 200-250 mm</i>	2
	36	Ugnetti 125 mm <i>Cape chisels, standard type 125 mm</i>	1
	1370	Martello tipo tedesco 500 g <i>Engineer's hammer 500 g</i>	1
	1390	Mazzuola con battenti in materiale plastico ø 35 mm <i>Soft face hammer Ø 35 mm</i>	1
	1692	Flessometro 3 m <i>Measuring tape 3 m</i>	1
	1712TF	Magnete telescopico con testa flessibile <i>Telescopic magnet with flexible head</i>	1
	1719BMA8/Q	Lima quadra 200 mm <i>Second-cut square files 200 mm</i>	1

ARTICOLO ITEM	CODICE BETA BETA CODE	DESCRIZIONE DESCRIPTION	PEZZI PIECES
T 	1719BMA8/T	Lima triangolare 200 mm <i>Second-cut triangular files 200 mm</i>	1
P 	1719BMA8/P	Lima piatta 200 mm <i>Second-cut flat files 200 mm</i>	1
M 	1719BMA8/M	Lima mezzotonda 200 mm <i>Second-cut half-round files 200 mm</i>	1
R 	1719BMA8/R	Lima tonda 200 mm <i>Second-cut round files 200 mm</i>	1
	1737NX	Spazzola fili d'acciaio <i>Steel wire brush</i>	1
	1771	Cutter con lama a settori 18 mm <i>Snap - off blade utility knife 18 mm</i>	1